

Page 1 of 8

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revised on / Version: 19.01.2011 / 0003

Replaces revision of / Version: 15.05.2009 / 0002

Valid from: 19.01.2011 PDF print date: 16.03.2011

PAOIL68 PLUS UV (PL68) 10.000 ml Art. Nr.: 8FX 351 214-231

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

PAOIL68 PLUS UV (PL68) 10.000 ml

Art. Nr.: 8FX 351 214-231

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

with fluorescent leak-tracing dye

Synthetic refrigerating system lubrication oil for vehicle air conditioners

Uses advised against:

No information available at present.

1.3 Details of the supplier of the safety data sheet

Behr Hella Service GmbH, Dr.-Manfred-Behr-Str. 1, D-74523 Schwäbisch Hall Telephone +49 (0) 7907 9446 373 31, Fax +49 (0) 7907 9446 373 79

E-mail address of the competent person: info@chemical-check.de, k.schnurbusch@chemical-check.de

1.4 Emergency telephone

Advisory office in case of poisoning:

+49 228 / 19240

Telephone number of the company in case of emergencies:

Tel.: +49 (0) 7907 9446 373 31

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) 1272/2008 (CLP)

Not determined

2.1.2 Classification according to Directives 67/548/EEC and 1999/45/EC (including amendments).

The mixture is not classified as dangerous in the terms of the directive 1999/45/EC.

2.2 Label elements

2.2.1 Labeling according to Regulation (EC) 1272/2008 (CLP)

Not determined

2.2.2 Labeling according to Directives 67/548/EEC and 1999/45/EC (including amendments).

Symbols: Not applicable Indications of danger: ---

R-phrases:

S-phrases:

Additions:

Contains

Tris-organo-trithiophosphate

May produce an allergic reaction.



Page 2 of 8

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revised on / Version: 19.01.2011 / 0003

Replaces revision of / Version: 15.05.2009 / 0002

Valid from: 19.01.2011 PDF print date: 16.03.2011

PAOIL68 PLUS UV (PL68) 10.000 ml Art. Nr.: 8FX 351 214-231

2.3 Other hazards

The mixture contains no vPvB substance (vPvB = very persistent, very bioaccumulative).

The mixture contains no PBT substance (PBT = persistent, bioaccumulative, toxic).

Hydrocarbons can be harmful to water.

Endangerment of potable water possible.

Allergic reaction possible.

SECTION 3: Composition/information on ingredients

Polyolefin

3.1 Substance

n.a. 3.2 Mixture

-	
Registration number (ECHA)	-
Index	-
EINECS, ELINCS	-
CAS	-
content %	
Symbol	-
R-phrases	-
Classification categories / Indications of danger	
Hazard class/Hazard category	Hazard statement

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Eve contact

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting. Consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

Where relevant delayed occuring symptomes and effects will be found in section 11. or at the exposure routes under section 4.1.

The following may occur:

Watering eyes

With long-term contact:

Dermatitis (skin inflammation)

Allergic reaction possible.

Ingestion of large quantities:

Vomiting

Diarrhoea

On vapour formation:

Irritant to mucosa of the nose and throat

4.3 Indication of any immediate medical attention and special treatment needed

Indications for the physician:



Page 3 of 8

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revised on / Version: 19.01.2011 / 0003

Replaces revision of / Version: 15.05.2009 / 0002

Valid from: 19.01.2011 PDF print date: 16.03.2011

PAOIL68 PLUS UV (PL68) 10.000 ml Art. Nr.: 8FX 351 214-231

Symptomatic treatment

Inaestion:

Danger of aspiration

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Dry extinguisher

Alcohol resistant foam

Water jet spray

Cool container at risk with water.

Unsuitable extinguishing media

High volume water jet

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Fume

Oxides of carbon

Toxic pyrolysis products.

5.3 Advice for firefighters

Protective respirator with independent air supply.

According to size of fire

Full protection, if necessary

Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure sufficient supply of air.

Avoid contact with eyes or skin.

Do not carry cleaning cloths soaked in product in trouser pockets.

If applicable, caution - risk of slipping

6.2 Environmental precautions

If leakage occurs, dam up.

Prevent surface and ground-water infiltration, as well as ground penetration.

If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth) and dispose of according to Section 13.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

Ensure good ventilation.

Avoid aerosol formation.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

Do not heat to temperatures close to flash point.

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities



Page 4 of 8

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revised on / Version: 19.01.2011 / 0003

Replaces revision of / Version: 15.05.2009 / 0002

Valid from: 19.01.2011 PDF print date: 16.03.2011

PAOIL68 PLUS UV (PL68) 10.000 ml Art. Nr.: 8FX 351 214-231

Not to be stored in gangways or stair wells. Store product closed and only in original packing. Remove possible causes of ignition - do not smoke. Protect against moisture and store closed.

7.3 Specific end use(s)

No information available at present.

Protect from direct sunlight and warming.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here.

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection:

If applicable

Protective Neopren gloves (EN 374). Protective nitrile gloves (EN 374)

Protective gloves made of polyvinyl alcohol (EN 374)

Protective PVC gloves (EN 374)

Permeation time (penetration time) in minutes:

> 360

Protective hand cream recommended.

Skin protection - Other: Protective working garments (e.g. safety shoes EN ISO 20345,

long-sleeved protective working garments)

Chemical resistant protective gloves (EN 374).

With danger of contact with eyes.

Respiratory protection: Normally not necessary.

If fumes build up, use suitable breathing mask. Filter A P 3 (EN 14387), code colour brown, white

Thermal hazards:

If applicable, these are included in the individual protective measures (eye/face protection, skin protection, respiratory protection).

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.



Page 5 of 8

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revised on / Version: 19.01.2011 / 0003

Replaces revision of / Version: 15.05.2009 / 0002

Valid from: 19.01.2011 PDF print date: 16.03.2011

PAOIL68 PLUS UV (PL68) 10.000 ml Art. Nr.: 8FX 351 214-231

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state:

Physical state:

Viscous
Colour:

Colour:

Colour:

Green
Odour:

Mild

Odour threshold: Not determined pH-value: Not determined

Melting point/freezing point: -63--54 °C (ASTM D 97, Setting point)

Initial boiling point and boiling range: Not determined

Flash point: >200 °C (ASTM D 93 (Pensky-Martens, closed cup))

Evaporation rate:

Flammability (solid, gas):

Lower explosive limit:

Upper explosive limit:

Vapour pressure:

Vapour density (air = 1):

Not determined

Not determined

Not determined

Not determined

Not determined

Density: 0,828-0,843 g/ml (15°C, ASTM D 1298)

Bulk density:

Solubility(ies):

Water solubility:

Partition coefficient (n-octanol/water):

Auto-ignition temperature:

Decomposition temperature:

Viscosity:

Not determined

Not determined

Not determined

Not determined

Not determined

Not determined

Viscosity:

30,7-99.6 cSt (40°C)

Viscosity: 5,76-14 cSt (100°C, ASTM D 445)

Explosive properties:

Oxidising properties:

Not determined

Not determined

9.2 Other information

Miscibility:

Fat solubility / solvent:

Conductivity:

Surface tension:

Solvents content:

Not determined

Not determined

Not determined

Not determined

SECTION 10: Stability and reactivity

10.1 Reactivity

See also Subsection 10.4 to 10.6. The product has not been tested.

10.2 Chemical stability

See also Subsection 10.4 to 10.6. Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

See also Subsection 10.4 to 10.6.

10.4 Conditions to avoid

See also section 7.
Product is combustible.
Open flame, ignition sources

10.5 Incompatible materials

See also section 7.



Page 6 of 8

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revised on / Version: 19.01.2011 / 0003

Replaces revision of / Version: 15.05.2009 / 0002

Valid from: 19.01.2011 PDF print date: 16.03.2011

PAOIL68 PLUS UV (PL68) 10.000 ml Art. Nr.: 8FX 351 214-231

Avoid contact with strong oxidizing agents.

10.6 Hazardous decomposition products

See also Subsection 10.4 to 10.6.

See also section 5.3

SECTION 11: Toxicological information

No classification according to calculation procedure

PAOIL68 PLUS UV (PL68) 10.000 ml Art. Nr.: 8FX 351 214-231									
Toxicity/effect	Endpoi nt	Value	Unit	Organism	Test method	Notes			
Acute toxicity, by oral route:	-					n.d.a.			
Acute toxicity, by dermal						n.d.a.			
route:									
Acute toxicity, by inhalation:						n.d.a.			
Skin corrosion/irritation:						n.d.a.			
Serious eye damage/irritation:						n.d.a.			
Respiratory or skin sensitisation:						n.d.a.			
Germ cell mutagenicity:						n.d.a.			
Carcinogenicity:						n.d.a.			
Reproductive toxicity:						n.d.a.			
Specific target organ toxicity - single exposure (STOT-SE):						n.d.a.			
Specific target organ toxicity - repeated exposure (STOT-RE):						n.d.a.			
Aspiration hazard:						n.d.a.			
Respiratory tract irritation:						n.d.a.			
Repeated dose toxicity:						n.d.a.			
Symptoms:						n.d.a.			

SECTION 12: Ecological information

Mechanical precipitation possible.

PAOIL68 PLUS UV (PL68) 10.000 ml Art. Nr.: 8FX 351 214-231								
Toxicity/effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes	
Toxicity to fish:							n.d.a.	
Toxicity to daphnia:							n.d.a.	
Toxicity to algae:							n.d.a.	
Persistence and							n.d.a.	
degradability:								
Bioaccumulative							Concentration in	
potential:							organisms possible.	
Mobility in soil:							n.d.a.	
Results of PBT and							n.d.a.	
vPvB assessment								
Other adverse effects:							n.d.a.	

SECTION 13: Disposal considerations

13.1 Waste treatment methods For the substance / mixture / residual amounts



(GB)

Page 7 of 8

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revised on / Version: 19.01.2011 / 0003

Replaces revision of / Version: 15.05.2009 / 0002

Valid from: 19.01.2011 PDF print date: 16.03.2011

PAOIL68 PLUS UV (PL68) 10.000 ml Art. Nr.: 8FX 351 214-231

Soaked polluted cloths, paper or other organic materials represent a fire hazard and should be controlled, collected and disposed of. EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product. Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2001/118/EC, 2001/119/EC, 2001/573/EC)

13 02 06 synthetic engine, gear and lubricating oils

Recommendation:

Pay attention to local and national official regulations

E.g. dispose at suitable refuse site.

E.g. suitable incineration plant.

For contaminated packing material

Pay attention to local and national official regulations

15 01 01 paper and cardboard packaging

15 01 04 metallic packaging

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

SECTION 14: Transport information

General statements

UN number: n.a.

Transport by road/by rail (ADR/RID)

UN proper shipping name:

Transport hazard class(es):

Packing group:

Classification code:

LQ (ADR 2011):

LQ (ADR 2009):

n.a.

n.a.

Environmental hazards: Not applicable

Tunnel restriction code:

Transport by sea (IMDG-code)

UN proper shipping name:

Transport hazard class(es):

Packing group:

Marine Pollutant:

n.a.

Environmental hazards: Not applicable

Transport by air (IATA)

UN proper shipping name:

Transport hazard class(es): n.a. Packing group: n.a.

Environmental hazards: Not applicable

Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Non-dangerous material according to Transport Regulations.

Additional information:

Non-dangerous material according to Transport Regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

n.a.

For classification and labelling see Section 2.

Observe restrictions:

VOC 1999/13/EC ---

15.2 Chemical safety assessment

No information available at present.



Page 8 of 8

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revised on / Version: 19.01.2011 / 0003

Replaces revision of / Version: 15.05.2009 / 0002

Valid from: 19.01.2011 PDF print date: 16.03.2011

PAOIL68 PLUS UV (PL68) 10.000 ml Art. Nr.: 8FX 351 214-231

SECTION 16: Other information

These details refer to the product as it is delivered.

Revised sections: 1 - 16

Legend:

n.a. = not applicable / n.v., n.av. = not available / n.g., n.c. = not checked / k.D.v., n.d.a. = no data available
WEL = Workplace Exposure Limit EH40, TWA = Long-term exposure limit (8-hour TWA (= time weighted average) reference
period), STEL = Short-terme exposure limit (15-minute reference period) / BMGV = Biological monitoring guidance value EH40
AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany) / BGW = "Biologischer Grenzwert" (biological limit value, Germany)
VbF = Regulations for flammable liquids (Austria)

VOC = Volatile organic compounds

AOX = Adsorbable organic halogen compounds

ATE = Acute Toxicity Estimates according to Regulation (EC) 1272/2008 (CLP)

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

These statements were made by:

Chemical Check GmbH, Wöbbeler Straße 2-4, D-32839 Steinheim, Tel.: +49 5233 94 17 0, +49 1805-CHEMICAL / +49 180 52 43 642, Fax: +49 5233 94 17 90, +49 180 50 50 455

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.