



1 / 7

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision: 18.05.2009 Replaces the version of: 27.04.2004 PDF date: 27.05.2010  
Airsept Cooling Coil Coating 120 ml Art.: 8PE 351 220-011

## Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

#### Identification of the substance or preparation

**Airsept Cooling Coil Coating 120 ml**  
**Art.: 8PE 351 220-011**

#### Use of the substance/preparation

Refer to description of material or preparation.

#### Company/undertaking identification

Hella KGaA Hueck & Co, Rixbecker Str. 75, D-59552 Lippstadt  
Telephone +49 (0) 2941 38 0, Fax +49 (0) 2941 38 7081  
www.hella.de

E-mail address of the competent person: info@chemical-check.de, k.schnurbusch@chemical-check.de

#### Emergency telephone

#### Advisory office in case of poisoning:

Tel.:  
+49 228 / 19240

#### Telephone number of the company in case of emergencies:

Tel. +49 (0) 2941 38 1562

### 2. HAZARDS IDENTIFICATION

#### To people

See point 11 and 15.  
Preparation is classified as hazardous in the sense of directive 1999/45/EC.  
May cause sensitization by skin contact.

#### To the environment

See point 12.  
Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Water-based dispersion of organic polymers

Chemical name	Symbol	Chemical name	EINECS, ELINCS
content %	Registration number (ECHA)	Classification categories / Indications of danger:	

Ammonia			
0,1 -< 1	C/N	34-50	215-647-6
		Corrosive, Dangerous for the environment	

Chemical name	Symbol	Chemical name	EINECS, ELINCS
content %	Registration number (ECHA)	Classification categories / Indications of danger:	

C8-18alkylbis(2-hydroxyethyl)ammonium bis(2-ethylhexyl)phosphate			
1 -< 2,5	T/C/N	23-34-43-50-53	404-690-8



GB

2 / 7

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision: 18.05.2009 Replaces the version of: 27.04.2004 PDF date: 27.05.2010  
Airsept Cooling Coil Coating 120 ml Art.: 8PE 351 220-011

		Corrosive, Dangerous for the environment, Sensitizing, Toxic	
--	--	---	--

For complete wording of the R-phrases / H-phrases (GHS/CLP), refer to point 16.

## 4. FIRST AID MEASURES

### 4.1 Inhalation

Remove person from danger area.  
Supply person with fresh air and consult doctor according to symptoms.  
Respiratory arrest - Artificial respiration apparatus necessary.

### 4.2 Skin contact

Wash thoroughly with soap and copious water - remove contaminated clothing immediately. If skin irritation occurs (redness etc.), consult doctor.

### 4.2 Eye contact

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

### 4.4 Ingestion

Consult doctor immediately - keep Data Sheet available.  
Do not induce vomiting.

### 4.5 Special resources necessary for first aid

There should be an eyewash station and safety shower located near the area of use.

## 5. FIRE-FIGHTING MEASURES

### 5.1 Suitable extinguishing media

Foam  
Dry extinguisher  
CO<sub>2</sub>  
Water jet spray

### 5.2 Extinguishing media which shall not be used for safety reasons

n.c.

### 5.3 Special exposure hazards arising from the substance or preparation itself, combustion products, resulting gases

In case of fire the following can develop:

Oxides of carbon  
Oxides of nitrogen  
Oxides of phosphorus  
Toxic pyrolysis products.

### 5.4 Special protective equipment for fire-fighters

Protective respirator with independent air supply.  
According to size of fire  
Full protection, if necessary

### 5.5 Further information

Dispose of contaminated extinction water according to official regulations.

## 6. ACCIDENTAL RELEASE MEASURES

Refer to point 13. and for personal protection refer to point 8.

### 6.1 Personal precautions

Ensure sufficient supply of air.  
Avoid inhalation, and contact with eyes or skin.  
Do not carry cleaning cloths soaked in product in trouser pockets.

### 6.2 Environmental precautions

If leakage occurs, dam up.  
Prevent from entering drainage system.  
Prevent surface and ground-water infiltration, as well as ground penetration.

### 6.3 Methods for cleaning up

Collect using absorbant material (e.g. Universal binding medium, sand, kieselguhr) and dispose of according to point 13.



GB

3 / 7

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision: 18.05.2009 Replaces the version of: 27.04.2004 PDF date: 27.05.2010  
 Airsept Cooling Coil Coating 120 ml Art.: 8PE 351 220-011

## 7. HANDLING AND STORAGE

### 7.1 Handling

#### Tips for safe handling:

- See point 6.1
- Ensure good ventilation.
- Wash hands before breaks and at end of work.
- Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.
- Observe directions on label and instructions for use.
- Use working methods according to operating instructions.

### 7.2. Storage

#### Requirements for storage rooms and containers:

- Not to be stored in gangways or stair wells.
- Store product closed and only in original packing.

#### Special storage conditions:

- See point 10
- Only store at temperatures from 4°C to 43°C

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Exposure limit values

Chemical Name	Ammonia	Content %:0,1 - < 1
WEL-TWA: NH3 25 ppm (18 mg/m3) (WEL), 20 ppm (14 mg/m3) (EC)	WEL-STEL: NH3 35 ppm (25 mg/m3) (WEL), 50 ppm (36 mg/m3) (EC)	---
BMGV: ---	Other information: ---	

GB WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.  
 \*\* = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.

### 8.2 Exposure controls

#### 8.2.1 Occupational exposure controls

- Ensure good ventilation. This can be achieved by local suction or general air extraction.
- If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.
- Applies only if maximum permissible exposure values are listed here.
- General hygiene measures for the handling of chemicals are applicable.
- Wash hands before breaks and at end of work.
- Keep away from food, drink and animal feedingstuffs.
- Respiratory protection: Normally not necessary.
- On vapour formation: Protective Neopren gloves (EN 374).
- Filter A P (EN 14387)
- Hand protection: Protective hand cream recommended.
- Eye protection: Tight fitting protective goggles with side protection (EN 166).
- Skin protection: Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments)

Additional information on hand protection - No tests have been performed.  
 Selection made for preparations according to the best available knowledge and information on the ingredients.  
 Selection of materials derived from glove manufacturer's indications.  
 Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.  
 Selection of a suitable glove depends not only on the material but also on other quality characteristics

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision: 18.05.2009 Replaces the version of: 27.04.2004 PDF date: 27.05.2010  
Airsept Cooling Coil Coating 120 ml Art.: 8PE 351 220-011

and varies from manufacturer to manufacturer.

In the case of preparations the resistance of glove materials cannot be calculated in advance so it has to be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

## 8.2.2 Environmental exposure controls

n.av.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 General information

Physical state:	Liquid
Colour:	White
Odour:	Mild

### 9.2. Important health, safety and environmental information

pH-value undiluted:	8,5 +/- 0,3
Boiling point/boiling range (°C):	100
Melting point/melting range (°C):	n.av.
Flash point (°C):	> 100
Flammability (solid, gas):	No
Vapour pressure:	Water
Density (g/ml):	n.c.
Water solubility:	Mixable
Solubility in oil / solvent:	n.c.
Viscosity:	800 cP

## 10. STABILITY AND REACTIVITY

### Conditions to avoid

See point 7  
Stable when handled and stored correctly.  
Strong heat

### Materials to avoid

See point 7  
Avoid contact with strong alkalis.  
Avoid contact with strong acids.  
Avoid contact with strong oxidizing agents.

### Hazardous decomposition products

See point 5.3

## 11. TOXICOLOGICAL INFORMATION

### Acute toxicity and immediate effects

Ingestion, LD50 rat oral (mg/kg):	n.av.
Inhalation, LC50 rat inhal.(mg/l/4h):	n.av.
Skin contact, LD50 rat dermal (mg/kg):	n.av.
Eye contact:	n.av.

### Delayed and chronic effects

Sensitization:	Yes (skin contact)
Carcinogenicity:	n.c.
Mutagenicity:	n.c.
Reproductive toxicity:	n.c.
Narcosis:	n.c.

### Further information

Classification according to calculation procedure.  
The following may occur:  
Irritation of the eyes  
With long-term contact:  
Irritation of the skin.

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision: 18.05.2009 Replaces the version of: 27.04.2004 PDF date: 27.05.2010  
 Airsept Cooling Coil Coating 120 ml Art.: 8PE 351 220-011

Dermatitis (skin inflammation)  
 Allergic reaction possible.  
 Ingestion:  
 Nausea  
 Vomiting  
 Danger of aspiration  
 Lung damage  
 Inhalation:  
 Irritation of the respiratory tract  
 Headaches

## 12. ECOLOGICAL INFORMATION

Persistence and degradability:  
 Not readily biodegradable \*  
 Behaviour in sewage plants:  
 According to the recipe, contains no AOX.  
 Aquatic toxicity: See point 2.  
 Ecological toxicity: n.av.  
 \* C8-18alkylbis(2-hydroxyethyl)ammonium bis(2-ethylhexyl)phosphate  
 Mobility: n.av.  
 Accumulation: n.av.  
 Results of PBT assessment  
 n.av.  
 Other adverse effects: n.av.

## 13. DISPOSAL CONSIDERATIONS

### 13.1. for the material / preparation / residue

EC disposal code no.:  
 The waste codes are recommendations based on the scheduled use of this product.  
 Owing to the user's specific conditions for use and disposal, other waste codes may be  
 allocated under certain circumstances. (2001/118/EC, 2001/119/EC, 2001/573/EC)  
 07 07 01 aqueous washing liquids and mother liquors  
 Recommendation:  
 Pay attention to local and national official regulations  
 E.g. suitable incineration plant.  
 E.g. dispose at suitable refuse site.  
 Do not dispose of with household waste.



### 13.2 for contaminated packing material

See point 13.1  
 Pay attention to local and national official regulations  
 15 01 04 metallic packaging  
 15 01 01 paper and cardboard packaging  
 Empty container completely.  
 Uncontaminated packaging can be recycled.  
 Dispose of packaging that cannot be cleaned in the same manner as the substance.

## 14. TRANSPORT INFORMATION

### General statements

UN-Number: n.a.

### Road/Rail-transport (ADR/RID)

Class/packing group: n.a.

Classification code: n.a.

LQ: n.a.

Tunnel restriction code:

### Transport by sea

IMDG-code: n.a. (class/packing group)

Marine Pollutant: n.a.

### Transport by air

IATA: n.a. (class/secondary danger/packing group)

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision: 18.05.2009 Replaces the version of: 27.04.2004 PDF date: 27.05.2010  
Airsept Cooling Coil Coating 120 ml Art.: 8PE 351 220-011

**Additional information:**

Non-dangerous material according to Transport Regulations.

**15. REGULATORY INFORMATION****Classification according to Dangerous Product Regulations incl. EC Directives  
(67/548/EEC and 1999/45/EC)**

Symbols: Xi

Indications of danger:

Irritant

**R-phrases:**

43 May cause sensitization by skin contact.

52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**S-phrases:**

(2) Keep out of the reach of children.

24 Avoid contact with skin.

35 This material and its container must be disposed of in a safe way.

37 Wear suitable gloves.

(46) If swallowed, seek medical advice immediately and show this container or label.

**Additions:**

C8-18alkylbis(2-hydroxyethyl)ammonium bis(2-ethylhexyl)phosphate

Observe restrictions: Yes

Observe youth employment law (German regulation).

Regulation (EC) No 1907/2006, Annex XVII.

VOC 1999/13/EC ---

**16. OTHER INFORMATION**

These details refer to the product as it is delivered.

Storage class VCI (Germany):

12

Revised points:

1 - 16 (REACH)

The following phrases represent the prescribed R-phrases / H-phrases (GHS/CLP) for the ingredients (designated in point 3).

34 Causes burns.

50 Very toxic to aquatic organisms.

23 Toxic by inhalation.

43 May cause sensitization by skin contact.

53 May cause long-term adverse effects in the aquatic environment.

**Legend:**

n.a. = not applicable / n.v., k.D.v. = n.av. = not available / n.g. = n.c. = not checked

WEL = Workplace Exposure Limit EH40, TWA = Long-term exposure limit (8-hour TWA (= time weighted average) reference

period), STEL = Short-term exposure limit (15-minute reference period) / BMGV = Biological monitoring guidance value EH40

AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany) / BGW = "Biologischer Grenzwert" (biological limit value, Germany)

VbF = Regulations for flammable liquids (Austria)

WGK = water hazard class (Germany) - WGK 3 = very hazardous, WGK 2 = hazardous, WGK 1 = slightly hazardous to water

VOC = Volatile organic compounds / AOX = Adsorbable organic halogen compounds

VwVwS = Administrative Order relating to substances hazardous to water (Germany)

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge.

No responsibility.

These statements were made by:

**Chemical Check GmbH, Wöbbeler Straße 2-4, D-32839 Steinheim, Tel.: +49 5233 94 17 0, +49 1805-CHEMICAL / +49 180 52 43 642, Fax: +49 5233 94 17 90, +49 180 50 50 455**

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.



GB

7 / 7

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision: 18.05.2009 Replaces the version of: 27.04.2004 PDF date: 27.05.2010

Airsept Cooling Coil Coating 120 ml Art.: 8PE 351 220-011

---