



1 / 6

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision: 18.05.2009 Replaces the version of: 07.06.2004 PDF date: 27.05.2010  
Maxtuff max. 75ml Art.: 8PE 351 278-001

## Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

#### Identification of the substance or preparation

**Maxtuff max. 75ml**  
**Art.: 8PE 351 278-001**

#### Use of the substance/preparation

Synthetic lubrication oil and corrosion inhibitor

#### Company/undertaking identification

Hella KGaA Hueck & Co, Rixbecker Str. 75, D-59552 Lippstadt  
Telephone +49 (0) 2941 38 0, Fax +49 (0) 2941 38 7081  
www.hella.de

E-mail address of the competent person: info@chemical-check.de, k.schnurbusch@chemical-check.de

#### Emergency telephone

#### Advisory office in case of poisoning:

Tel.:  
+49 228 / 19240

#### Telephone number of the company in case of emergencies:

Tel. +49 (0) 2941 38 1562

### 2. HAZARDS IDENTIFICATION

#### To people

See point 11 and 15.  
Preparation is not classified as hazardous in the sense of directive 1999/45/EC.

#### To the environment

See point 12.  
n.av.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Basisöl (synthetisch) - synthetische Zusätze mit Iso-Paraffinverdünner

Chemical name			
content %	Symbol	Chemical name	EINECS, ELINCS
	Registration number (ECHA)	Classification categories / Indications of danger:	
--	---	---	

### 4. FIRST AID MEASURES

#### 4.1 Inhalation

Remove person from danger area.  
Supply person with fresh air and consult doctor according to symptoms.

#### 4.2 Skin contact



GB

2 / 6

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision: 18.05.2009 Replaces the version of: 07.06.2004 PDF date: 27.05.2010  
Maxtuff max. 75ml Art.: 8PE 351 278-001

Wash thoroughly with soap and copious water - remove contaminated clothing immediately. If skin irritation occurs (redness etc.), consult doctor.

#### **4.2 Eye contact**

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

#### **4.4 Ingestion**

Rinse the mouth thoroughly with water.

Do not induce vomiting. Consult doctor immediately.

#### **4.5 Special resources necessary for first aid**

n.c.

### **5. FIRE-FIGHTING MEASURES**

#### **5.1 Suitable extinguishing media**

Water jet spray/foam/CO<sub>2</sub>/dry extinguisher

Sand

Cool container at risk with water.

#### **5.2 Extinguishing media which shall not be used for safety reasons**

High volume water jet

#### **5.3 Special exposure hazards arising from the substance or preparation itself, combustion products, resulting gases**

In case of fire the following can develop:

Fume

Oxides of carbon

Hydrocarbons

Toxic pyrolysis products.

#### **5.4 Special protective equipment for fire-fighters**

Protective respirator with independent air supply.

According to size of fire

Full protection, if necessary

#### **5.5 Further information**

Dispose of contaminated extinction water according to official regulations.

### **6. ACCIDENTAL RELEASE MEASURES**

Refer to point 13. and for personal protection refer to point 8.

#### **6.1 Personal precautions**

Avoid contact with eyes or skin.

Do not carry cleaning cloths soaked in product in trouser pockets.

If applicable, caution - risk of slipping

#### **6.2 Environmental precautions**

If leakage occurs, dam up.

Prevent surface and ground-water infiltration, as well as ground penetration.

If accidental entry into drainage system occurs, inform responsible authorities.

#### **6.3 Methods for cleaning up**

Collect using absorbant material (e.g. Universal binding medium, sand, kieselguhr) and dispose of according to point 13.

### **7. HANDLING AND STORAGE**

#### **7.1 Handling**

##### **Tips for safe handling:**

See point 6.1

Avoid aerosol formation.

Wash hands before breaks and at end of work.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

General hygiene measures for the handling of chemicals are applicable.

Observe directions on label and instructions for use.

Do not heat to temperatures close to flash point.

#### **7.2. Storage**



GB

3 / 6

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision: 18.05.2009 Replaces the version of: 07.06.2004 PDF date: 27.05.2010  
Maxtuff max. 75ml Art.: 8PE 351 278-001

## Requirements for storage rooms and containers:

Not to be stored in gangways or stair wells.  
Store product closed and only in original packing.

## Special storage conditions:

See point 10  
Protect against moisture and store closed.  
Protect from direct sunlight and warming.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Exposure limit values

---

### 8.2 Exposure controls

#### 8.2.1 Occupational exposure controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.  
If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.  
Applies only if maximum permissible exposure values are listed here.  
General hygiene measures for the handling of chemicals are applicable.  
Wash hands before breaks and at end of work.  
Keep away from food, drink and animal feedingstuffs.  
Respiratory protection: Normally not necessary.  
If fumes build up, use suitable breathing mask.  
With oil mist formation:  
Filter A P 3 (EN 14387)  
Hand protection: Protective gloves, oil resistant (EN 374)  
If applicable  
Protective Neopren gloves (EN 374).  
Protective nitrile gloves (EN 374)  
Protective PVC gloves (EN 374)  
Protective hand cream recommended.  
Eye protection: With danger of contact with eyes.  
Tight fitting protective goggles with side protection (EN 166).  
Skin protection: Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments)

Additional information on hand protection - No tests have been performed.  
Selection made for preparations according to the best available knowledge and information on the ingredients.  
Selection of materials derived from glove manufacturer's indications.  
Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.  
Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.  
In the case of preparations the resistance of glove materials cannot be calculated in advance so it has to be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

#### 8.2.2 Environmental exposure controls

n.av.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 General information

Physical state: Liquid  
Colour: n.av.  
Odour: Mild

### 9.2. Important health, safety and environmental information

pH-value undiluted: Neutral



GB

4 / 6

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision: 18.05.2009 Replaces the version of: 07.06.2004 PDF date: 27.05.2010  
Maxtuff max. 75ml Art.: 8PE 351 278-001

Boiling point/boiling range (°C):	n.av.
Melting point/melting range (°C):	n.av.
Flash point (°C):	> 162 (COC)
Autoflammability:	> 315°C
Vapour pressure:	Not relevant.
Density (g/ml):	> 0,89 g/cm <sup>3</sup>
Water solubility:	Insoluble

## 10. STABILITY AND REACTIVITY

### Conditions to avoid

See point 7

Stable when handled and stored correctly.

Strong heat

### Materials to avoid

See point 7

Avoid contact with strong oxidizing agents.

### Hazardous decomposition products

See point 5.3

## 11. TOXICOLOGICAL INFORMATION

### Acute toxicity and immediate effects

Ingestion, LD50 rat oral (mg/kg):	n.av.
Inhalation, LC50 rat inhal.(mg/l/4h):	n.av.
Skin contact, LD50 rat dermal (mg/kg):	n.av.
Eye contact:	n.av.

### Delayed and chronic effects

Sensitization:	n.c.
Carcinogenicity:	n.c.
Mutagenicity:	n.c.
Reproductive toxicity:	n.c.
Narcosis:	n.c.

### Further information

No classification according to calculation procedure.

The following may occur:

Irritation of the eyes

With long-term contact:

Dermatitis (skin inflammation)

Irritation of the skin.

With oil mist formation:

Irritation of the respiratory tract

## 12. ECOLOGICAL INFORMATION

Persistence and degradability:	n.av.
Behaviour in sewage plants:	
Mechanical precipitation possible.	
Aquatic toxicity:	n.av.
Ecological toxicity:	n.av.
Mobility:	n.av.
Accumulation:	n.av.
Results of PBT assessment	
n.av.	
Other adverse effects:	n.av.

## 13. DISPOSAL CONSIDERATIONS



GB

5 / 6

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision: 18.05.2009 Replaces the version of: 07.06.2004 PDF date: 27.05.2010  
Maxtuff max. 75ml Art.: 8PE 351 278-001

### 13.1. for the material / preparation / residue

Soaked polluted cloths, paper or other organic materials represent a fire hazard and should be controlled, collected and disposed of.  
EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.  
Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2001/118/EC, 2001/119/EC, 2001/573/EC)

13 02 06 synthetic engine, gear and lubricating oils

Recommendation:

Pay attention to local and national official regulations

E.g. dispose at suitable refuse site.

E.g. suitable incineration plant.

### 13.2 for contaminated packing material

See point 13.1

Pay attention to local and national official regulations

15 01 01 paper and cardboard packaging

15 01 04 metallic packaging

Empty container completely.

Untamated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

## 14. TRANSPORT INFORMATION

### General statements

UN-Number: n.a.

### Road/Rail-transport (ADR/RID)

Class/packing group: n.a.

Classification code: n.a.

LQ: n.a.

Tunnel restriction code:

### Transport by sea

IMDG-code: n.a. (class/packing group)

Marine Pollutant: n.a.

### Transport by air

IATA: n.a. (class/secondary danger/packing group)

### Additional information:

Non-dangerous material according to Transport Regulations.

## 15. REGULATORY INFORMATION

### Classification according to Dangerous Product Regulations incl. EC Directives (67/548/EEC and 1999/45/EC)

Symbols: Not applicable

Indications of danger: ---

R-phrases:

S-phrases:

Additions: n.a.

Observe restrictions: n.a.

VOC 1999/13/EC ---

## 16. OTHER INFORMATION

These details refer to the product as it is delivered.

Storage class VCI (Germany): 10/12

Revised points: 1 - 16 (REACH)

### Legend:

n.a. = not applicable / n.v., k.D.v. = n.av. = not available / n.g. = n.c. = not checked



GB

6 / 6

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision: 18.05.2009 Replaces the version of: 07.06.2004 PDF date: 27.05.2010

Maxtuff max. 75ml Art.: 8PE 351 278-001

WEL = Workplace Exposure Limit EH40, TWA = Long-term exposure limit (8-hour TWA (= time weighted average) reference period), STEL = Short-term exposure limit (15-minute reference period) / BMGV = Biological monitoring guidance value EH40  
AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany) / BGW = "Biologischer Grenzwert" (biological limit value, Germany)  
VbF = Regulations for flammable liquids (Austria)

WGK = water hazard class (Germany) - WGK 3 = very hazardous, WGK 2 = hazardous, WGK 1 = slightly hazardous to water

VOC = Volatile organic compounds / AOX = Adsorbable organic halogen compounds

VwVwS = Administrative Order relating to substances hazardous to water (Germany)

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge.

No responsibility.

These statements were made by:

**Chemical Check GmbH, Wöbbeler Straße 2-4, D-32839 Steinheim, Tel.: +49 5233 94 17 0, +49 1805-CHEMICAL / +49 180 52 43 642, Fax: +49 5233 94 17 90, +49 180 50 50 455**

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.