



You'd like more information' Please scan the QR code or click on it straight away.

BRIEF INFORMATION

CA4X series Compressed Air Horns

- → Wide and far reaching sound
- → Chromed finished trumpet
- → With flat connections of 6.3 mm, open, blade type
- → Horn set includes seperate air compressor
- → Retrofit kits for warning sound update

PRODUCT FEATURES

Application

Horns are a mandatory part of the safety equipment of a vehicle. A particularly perceptible sound is necessary in order to be able to warn other road users optimally in dangerous situations. Our signal horns offer you a high level of functional reliability.

Design and function


- → The sound is generated in the spiral horn by the vibration of two metal diaphragms set in vibration by the pressurized air produced by the electric compressor.
- → The diaphragms that are positioned inside the acoustic chambers press on the sealing lip which forms the inlet of the acoustic duct.
- → When a certain pressure is generated inside the acoustic chambers, the diaphragms move away from the lip resulting in passage of air and pressure drop, and then close again on the lip.
- → The cyclic repetition of this phenomenon generates the sound waves.

TECHNICAL DETAILS


Technical data				
Short Code	CA40	CA42	CA44	
Rated voltage	12 V or 24 V	12 V or 24 V	12 V	
Frequency range	370 Hz	370 / 415 Hz	350 / 500 Hz	
Sound pressure level @ 2 m	≥ 120 dB(A)	≥ 120 dB(A)	≥ 122 dB(A)	
Power consumption (horn and compressor)	312 W	360 W	432 W	
Compressor included	Yes			
Operating temperature	-40 °C to +75 °C			
Protection class	IP 54			
Service life	50,000 cycles (ECE-R28)			
Housing material	ABS			
Type approval	ECE-R28			

Dimensional sketches


CA40 Chrome Single Air Horn




Spare part | CM40 Compressor



CA42 Chrome Double Air Horn



CA44 Chrome Double Air Horn



PROGRAM OVERVIEW

Product picture	Description	Part number	Packaging unit
CA40 Chrome Single Air Horn Includes: air horn, compressor, pressur	e tubes, bifurcated piece, fastening and relay		
	12 V, 370 Hz	3PA 013 410-001	1 piece
	24 V, 370 Hz	3PA 013 410-021	1 piece
CA42 Chrome Double Air Horn Includes: air horn, compressor and pres	ssure tubes		
T	12 V, 370 / 415 Hz	3PB 013 410-121	1 piece
	24 V, 370 / 415 Hz	3PB 013 410-131	1 piece
CA44 Black coated Double Air Horn Includes: air horn, compressor and pres	ssure tubes		
1	12 V, 350 / 500 Hz	3PB 013 410-211	1 piece

ACCESSORIES

Product picture	Description	Part number	Packaging unit
CM40 Replacement spare part for CA40-series			
	12 V	9MN 715 991-051	1 piece
	24 V	9MN 715 991-061	1 piece