



BRIEF INFORMATION

LED interior lamp / spotlight 343 790


- › Optimum light output thanks to power LED and precision reflector
- › Particularly impact-resistant frame
- › With CELIS® ring for ambient lighting

PRODUCT FEATURES

The LED interior lamp offers optimum light output thanks to its combination of power LED and precision reflector. The electronics of the lamp also enable a dimming function, which contributes to a relaxed atmosphere and creates indirect ambient lighting.


The clear lens and also the various frame colours that are on offer round off the design of the spotlight. The shatterproof frame made of impact-resistant plastic (PC) is available in black, white or silver.

LIGHT DISTRIBUTION




CONNECTION DIAGRAMS

Without dimming control unit




With dimming control unit





TECHNICAL DETAILS

| Technical data | |
|-------------------------|--|
| Operating voltage range | Multi-voltage (10–31 V) |
| Rated voltage | 12 V and 24 V |
| Current consumption | Approx. 0.20 A |
| Power consumption | 2.5 W |
| Colour temperature | Warm white |
| Protection class | IP 3X |
| Mounting | Choice of screw or spring clip fastening |

Dimensional sketch



PROGRAM OVERVIEW

| Product picture | Cover colour | Mounting | Part number | Packaging unit |
|---|--------------|--|------------------------|----------------|
|  | White | Flush mounting, adjustable | 2JA 343 790-301 | 1 |
|  | Black | Flush mounting, adjustable | 2JA 343 790-311 | 1 |
| | | Flush mounting, adjustable with white CELIS® ring for ambient lighting | 2JA 343 790-711 | 1 |

Covers in other colours (e.g. real wood look) and also variants with ambient CELIS® light guide ring (e.g. blue, red) are available on request.