# **Metal-free permanent lubricant | HELLA**

# Optimal lubricant application to vehicle brake systems

In order to best ensure the functionality of a wheel brake, all of the mechanical parts should be greased with a temperature-resistant permanent lubricant during maintenance. The right lubricant is not always used in such cases. Copper paste is very popular as a lubricant for almost every situation.

However, more and more vehicles are being equipped with highly sensitive equipment that electronically controls processes during driving (such as ABS, ESP). A multitude of sensors provide information about the current driving situation to the on-board electronics. If too much copper paste is used or it is used incorrectly, the metal particles it contains can lead to sensor errors and thus to system malfunctions. Vehicles are increasingly being equipped with chassis parts and brake callipers made of aluminium. Copper and aluminium undergo an electrolytic reaction with each other. This can lead to a kind of corrosion, thereby causing the opposite of lubrication. Therefore, we recommend using HELLA metal-free permanent lubricant.



METAL HERE PERSONALIVE LUCK CAN'T FOR DISC BRANCS

METALL/REDGE David strict more strictions re, in the 5K without with factor

CHEST AND PERSONAL PROPERTY.

COLUMN PERSONNESS COLUMN PARENT PERSONNESS FERNOS DE ORIGIO

PERSONAL PROPERTY AND A CONCO

PRINCIPALITY

## **Product features and application**

#### Features

- Temperature-resistant
- Metal-free
- Solid-free
- Transparent
- Acid-free

### Application

- Universally to all lubrication points in a vehicle
- To brake systems
- As battery terminal grease

Part No.: 8DX 355 370-011

### Important safety note

Technical information and practical tips have been compiled by HELLA in order to provide professional support to vehicle workshops in their day-to-day work. The information provided on this website is intended for use by suitably qualified personnel only.

Reprinting, distribution, reproduction, exploitation in any form or disclosure of the contents of this document, even in part, is prohibited without our express, written approval and indication of the source. The schematic illustrations, pictures and descriptions serve only for the purposes of explanation and representation of the instructions and cannot be used as a basis for installation or assembly work. All rights reserved.